CLAIMS

What is claimed is:

1	1. A method of keeping a refreshed image from a camera on a user's
2	system, the method comprising:
3	sending the image to the user's system;
4	refreshing the image periodically; and
5	after a period of time, degrading the image.
1	2. The method of claim 1, wherein the degrading comprises reducing
2	an image size.
1	3. The method of claim 1, wherein the degrading comprises
2	decreasing resolution.
1	4. The method of claim 1, further comprising:
2	determining if it is time to degrade the image; and
3	if it is time to degrade the image, degrading the image.
1	5. The method of claim 4, wherein determining if it is time to degrade
2	the image comprises determining that a set time has elapsed.
1	6. The method of claim 4, wherein determining if it is time to degrade
2	the image comprises determining that a window displaying the image is not

7. The method of claim 1, wherein the determination whether to degrade the image is periodically evaluated.

visible to the user.

3

1	8. The method of claim 7, wherein a period to evaluate the
2	determination whether to degrade the image is greater than a refresh period of
3	the image.
1	9. The method of claim 7, wherein the determination whether to
2	degrade the image occurs concurrently with a refresh cycle.
1	10. The method of claim 9, wherein if the determination indicates that
2	the image should be degraded, upon refresh, the degraded image is loaded.
1	11. The method of claim 7, wherein the determination whether to
2	degrade the image is made when a timer reaches a preset value.
1	12. The method of claim 7, wherein a determination whether it is time
2	to degrade the image is made when a counter reaches a preset value.
1	13. An apparatus comprising:
2	a network connection to send an image to a user's system;
3	a refresh logic to periodically refresh the image; and
4	a degrading logic to degrade the image after a period of time.

- 1 14. The apparatus of claim 13, wherein the degrading comprises 2 reducing an image size.
- 1 15. The apparatus of claim 13, wherein the degrading comprises 2 decreasing resolution.

1	16. The apparatus of claim 13, further comprising:
2	an activity monitor to determine if it is time to degrade the image; and
3	if it is time to degrade the image, the refresh rate logic to degrade the
4	image.

- 1 The apparatus of claim 16, wherein the degrading logic determines 2 if it is time to degrade the image by determining whether a set time has elapsed.
- 1 18. The apparatus of claim 16, wherein the activity monitor determines 2 if it is time to degrade the image by determining whether a window displaying 3 the image is visible to the user.
- 1 19. The apparatus of claim 16, wherein if the degrading logic 2 determines that the image should be degraded, upon refresh, the refresh logic 3 loads a degraded image.
- 1 20. The apparatus of claim 13, further comprising a quality increase 2 request monitor to reset the image to its original refresh rate upon detecting a 3 request.
- 1 21. The apparatus of claim 20, wherein the request is made by the user.